

Fume hoods

Intosafe 12/15/18

Single or double-user built-in or standalone fume hood. Ceramic worktop with solid core airflow baffle. Standard features include manual sash operation, LED >700 LUX light source, 2 power sockets, optical and acoustic alarm.

Table-intosafe 12/15/18

Standalone tabletop fume hood to be placed on a lab table. Solid core airflow baffle. Standard features include manual sash operation, LED >700 LUX light source, optical and acoustic alarm.

enne beed medele	External			
Fume hood models	Width	Depth	Height	
Intosafe 12	1200 mm	884 mm	2500 - 2580 mm	
Intosafe 15	1500 mm	884 mm	2500 - 2580 mm	
Intosafe 18	1800 mm	884 mm	2500 - 2580 mm	
Table-intosafe 12	1200 mm	738 mm	1300 mm	
Table-intosafe 15	1500 mm	738 mm	1300 mm	
Table-intosafe 18	1800 mm	738 mm	1300 mm	



Lab cabinets

Tall cabinet 600 / 1200

Made of white laminated board material. The 600 model is available with left- or right-hinged doors. Equipped with 4 shelves in the 600 cabinet and 8 shelves in the 1200 cabinet.

Glass cabinet 600 / 1200

Made of white laminated board material. The 600 model is available with left- or right-hinged doors. Equipped with 4 shelves in the 600 cabinet and 8 shelves in the 1200 cabinet.

Flow cabinet

Made of white laminated board material. Storage space with 6 angled compartments for pipettes and a pull-out tray for, e.g., a laptop.

Cabinet models	External			
	Width	Depth	Height	
Tall cabinet 600	600 mm	2000 mm	500 mm	
Tall cabinet 1200	1200 mm	2000 mm	500 mm	
Glass cabinet 600	600 mm	2000 mm	500 mm	
Glass cabinet 1200	1200 mm	2000 mm	500 mm	
Flow cabinet	300 mm	2300 mm	880 mm	

Base cabinets

Base cabinet with door

Made of white laminated board material. Available with left- or right-hinged doors.

Base cabinet with 3 drawers

Made of white laminated board material. Equipped with 3 drawers.

The under-table models of both the cabinet with a door and the cabinet with 3 drawers can only be hung under INTOS lab tables. The wheeled model comes with 4 wheels and a Trespa® Toplab® BASE white top.



manage and the same and are	External			
Base cabinet models	Width	Depth	Height	
Base cabinet hung high	570 mm	445 mm	690 mm	
Base cabinet hung low	570 mm	445 mm	520 mm	
Base cabinet wheeled high	570 mm	445 mm	770 mm	
Base cabinet wheeled low	570 mm	445 mm	600 mm	





INTOS Lab Solutions Waarderweg 44 2031 BP Haarlem intos.nl/en/labs Luuk van Willigenburg + 31 (0) 6 40 72 25 49 + 31 (0) 23 531 90 39 labsolutions@intos.nl

